

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A system for detecting a neurological injury as having a secondary injury associated with neurotrauma in a subject, said system comprising:

a computing device comprising:

at least one distal signal emitter attachable to a first position on the subject to emit an electrical signal generated by the computing device into the subject such that the electrical signal is communicated to a nerve in proximity to the first position;

at least one signal detector attachable to a second position in electrical communication with a subject central nervous system on the subject to detect the electrical signal transmitted by the nerve as neural conductivity;

a biochemical analyzer for analyzing fluid samples to determine the presence of the secondary injury;

a processor for comparing a threshold reference value with the detected electrical signal and indicating neurological injury when the detected electrical signal is beyond a preselected range of the reference value; and

a display providing indication of neurological injury ~~as having a secondary injury associated with neurotrauma.~~

2. (Previously presented) The system of claim 1 further comprising a biochemical analyzer sampling a biological fluid obtained from the subject for the presence of chemical species or concentrations indicative of the neurological injury.

3. (Previously presented) The system of claim 1 wherein a database is comprised of signal strengths for various positions and muscle groups of the subject.

4. (Original) The system of claim 1 wherein the computing device provides a user with instruction for positioning the at least one emitter and the at least one detector on the subject.

5. (Previously presented) The system of claim 7 further comprising a wireless transmitter coupled to the computing device communicating the indication of neurological injury and input.

6. (Original) The system of claim 1 further comprising a user interface for data input to the computing device.

7. (Original) The system of claim 1 further comprising an ancillary monitoring device providing the computing device with an input relating to a physiological parameter of the subject.

8. (Original) The system of claim 2 wherein the computing device provides suggested pharmaceutical treatment protocols for the subject.

9. (Original) The system of claim 1 in combination with a kit of neurologically active pharmaceuticals and at least one device for introducing a pharmaceutical into the subject.

10. (Currently amended) A process for detecting a neurological injury as having a secondary injury associated with neurotrauma in a subject comprising:

attaching a distal emitter at a first position and a detector at a second position to the subject in electrical communication with a subject central nervous system;

emitting an electrical signal from a computing device into the subject at the first position via the emitter;

detecting the electrical signal transmitted by a nerve at the second position with the detector as neural conductivity;

comparing the detected electrical signal with a threshold reference value in the computing device;

using a biochemical analyzer to analyze fluid samples to determine the presence of the secondary injury;

indicating a neurological injury when the detected electrical signal is beyond a preselected range of the reference value ~~as having a secondary injury associated with neurotrauma.~~

11. (Original) The process of claim 10 further comprising sampling a biological fluid obtained from the subject for the presence of chemical species or concentrations indicative of neurological injury.

12. (Previously presented) The process of claim 10 further comprising providing suggestions to a user for selecting a pharmaceutical for treating the neurological injury of the subject.

13. (Original) The process of claim 10 further comprising communicating at least one of the detected electrical signal or indicated neurological injury to a remote location.